

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4142	interface near2 (dependent or specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:03
S2	8	(interface near2 (dependent or specific)) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:50
S3	1227	web near2 search\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:50
S4	67	(web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:50
S5	61	((web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)) and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:51
S6	24	((web near2 search\$4) and rule\$1 and web and (spider\$1 or crawler\$1)) and interface\$1 and transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/16 16:52
S7	1	lexical near3 data near3 transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:11
S8	21	transform\$4 near3 (data or text) near3 tag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:19
S9	7	transform\$4 near3 (data or text) near3 (lexical or semantic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:21

S10	6674	data near2 transform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 14:50
S11	19	(data near2 transform) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 15:00
S12	391	(data near2 transform) same (lexical or grammar\$1 arrang\$5 or tag\$4 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 15:03
S13	26	((data near2 transform) same (lexical or grammar\$1 arrang\$5 or tag\$4 or database)) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/17 15:03
S14	1282	WAP or (wireless adj application adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:09
S15	57	(WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:10
S16	52	((WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1) and generat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:11
S17	49	((((WAP or (wireless adj application adj protocol)) and data and communication and phrase\$1) and generat\$4) and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/18 14:13
S18	510	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/19 10:26
S19	1945	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/19 10:26

S20	22957	(obtain\$5 or get\$4 or receiv\$4) near5 data near5 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:11
S21	2583	text\$1 near5 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:13
S22	66	((obtain\$5 or get\$4 or receiv\$4) near5 data near5 network) and (text\$1 near5 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 11:13
S23	224	data near5 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:41
S24	16	(data near5 (transform\$4) near10 text\$1 ) and (text\$1 near5 pattern\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:30
S25	36	voice\$2 near5 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/04 10:56
S26	51	voice\$2 near10 (transform\$4) near10 text\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:53
S27	38450	(document\$1 or data) near5 transform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:57
S28	168	((document\$1 or data) near5 transform\$5) and (text near5 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 09:58
S29	2	((document\$1 or data) near5 transform\$5) and (text near5 pattern\$1)) and (lexic\$5 near10 semant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 10:00

S30	2	"5915001".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 10:38
S31	1679	voice\$1 near5 output\$4 near5 telephone\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:12
S32	0	(voice\$1 near5 output\$4 near5 telephone\$1 ) and (interface\$1 near5 sentence\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:12
S33	530	(voice\$1 near5 output\$4 near5 telephone\$1 ) and (interface\$1 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:36
S34	0	(voice\$1 near5 output\$4 near5 telephone\$1 ) and (interface\$1 near10 WAP )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:13
S35	18	(voice\$1 near5 output\$4 near5 telephone\$1 ) and (interface\$1 near5 specific )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:15
S36	1	((voice\$1 near5 output\$4 near5 telephone\$1 ) and (interface\$1 near5 specific )) and WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:16
S37	6	(voice\$1 near5 output\$4 near5 telephone\$1 ) and (WAP )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:36
S38	62	generat\$5 near5 WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:42
S39	31	(communicat\$5 near5 WAP) and (phrase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:43

S40	471	communicat\$5 near5 WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 14:44
S41	0	text\$3 near5 pattern43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:01
S42	31430	data near3 transform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:02
S43	0	(data near3 transform\$4) same (text\$3 same (uniform near7 foramt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:06
S44	5	(data near3 transform\$4) same (text\$3 same (uniform near7 format\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 11:13
S45	62	(data near3 transform\$4) same (first same second same (data near5 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:33
S46	62	(data near3 transform\$4) same (first same second same (data near5 file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:37
S47	31	((data near3 transform\$4) same (first same second same (data near5 file\$1))) and text\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:33
S48	857	(data near3 transform\$4) same (data near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:37
S49	77	((data near3 transform\$4) same (data near5 file\$1)) same (text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 14:40

S50	42978	document\$1 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:03
S51	2	(document\$1 near5 process\$4) and (transform\$4 near5 uniform\$1 near5 format\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:05
S52	217	(document\$1 near5 process\$4) and ( uniform\$1 near5 format\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:06
S53	0	((document\$1 near5 process\$4) and ( uniform\$1 near5 format\$3)) and (user\$1 near5 interface\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:07
S54	0	((document\$1 near5 process\$4) and ( uniform\$1 near5 format\$3)) and ( interface\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:07
S55	14	((document\$1 near5 process\$4) and ( uniform\$1 near5 format\$3)) and ( user\$3 near9 sentence\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:11
S56	1	text\$3 near9 arrang\$4 near9 uniform\$1 near5 format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 15:12
S57	106	text\$3 near9 uniform\$1 near5 format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/05 16:16
S58	2	"6569208".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:14
S59	1	"5884266".PN.	US-PGPUB; USPAT	OR	ON	2003/12/02 14:12



S60	6	(text\$4 near5 (pars\$4 pattern\$3)) same (uniform\$1 near9 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:21
S61	68	(text\$3 near5 transform\$3) and (output\$3 near5 voice\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:23
S62	51	((text\$3 near5 transform\$3) and (output\$3 near5 voice\$3)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 14:24
S63	128928	display\$4 near5 specifc\$4 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:21
S64	0	display\$4 near5 specifc\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:21
S65	593	display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:25
S66	13	(display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4) and (receiv\$4 near5 data) and (transform\$4 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:24
S67	12	((display\$4 near5 specific\$4 near5 user\$4 near5 interface\$4) and (receiv\$4 near5 data) and (transform\$4 near5 data)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:23
S68	92	display\$4 near5 ( data text\$3) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:27
S69	182	display\$4 near5 ( data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28

S70	9	(display\$4 near5 ( data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:57
S71	103	(display\$4 present\$4 represnet\$4) near5 ( data text\$3) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28
S72	208	(display\$4 represent\$4 present\$4) near5 ( data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:28
S73	19	((display\$4 represent\$4 present\$4) near5 ( data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:30
S74	3	(transform\$4 near5 (data text information) near5 specific\$4 near5 user\$4 near5 interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/11 14:31
S75	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near5 "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37
S76	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near9 "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37
S77	493	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:37
S78	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same ("with")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:38
S79	493	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:35



S80	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open near9 user\$4 near5 interface\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S81	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same user\$4 near5 interface\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S82	0	(transform\$4 translat\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open same (user\$4 near5 interface\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:39
S83	1784	(transform\$4 translat\$4 conver\$4) near5 (application\$4 data text\$4 imag\$4 format\$4) near7 open	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:35
S84	54648	(display\$4 open present\$4) near7 user\$4 near4 interfac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:36
S85	100	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:36
S86	38459	text\$4 near5 (conver\$4 transform\$3 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:37
S87	43	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:18
S88	3578	document\$4 near5 (edit\$4 conver\$4 translat\$4) near5 format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:19
S89	162	document\$4 near5 (edit\$4 conver\$4 translat\$4) near5 format\$4 near5 standard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:20

S90	2	S89 and (receiv\$4 near5 original\$4 near5 document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:55
S91	88	S89 and (receiv\$4 near5 document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:23
S92	11	S91 and (rearrang\$4 near5 form\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:23
S93	2	"6151601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:54
S94	0	(receiv\$4 near5 original\$4 near5 document\$4) near9 apply\$4 near5 text near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:56
S95	0	(receiv\$4 near5 original\$4 near5 document\$4) and apply\$4 near5 text\$4 near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:57
S96	4	( original\$4 near5 document\$4) and apply\$4 near5 text\$4 near6 pattern\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:05
S97	2	"6212494".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26
S98	1	S97 and (on-line internet network) near6 (document\$4 receiv\$4 obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
S99	1	S97 and (on-line internet network) same (document\$4 receiv\$4 obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08

S10 0	1	S97 and (text\$4 near10 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:08
S10 1	1	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:10
S10 2	1	S101 and grammatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:10
S10 3	11	(display\$3 near5 ( data text\$3 information) near5 specific\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:59
S10 4	18	(display\$3 near5 ( data text\$3 information) near5 different\$4 near5 user\$4 near5 interface\$4) and (transform\$4 near5 (data text information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:03
S10 5	195	(display\$3 near5 ( data text\$3 information document\$3) near5 different\$4 near5 user\$4 near5 interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:04
S10 6	1	"6212494".pn. and (text\$4 near10 pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26
S10 7	200557	(voic\$3 speech\$3 phon\$3 telephon\$3) near5 (input\$3 receiv\$3 obtain\$3 get\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:06
S10 8	5628	S107 and ((transform\$4 conver\$3 apply\$3) near5 text\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:07
S10 9	45	S108 and (uniform\$3 near5 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:09

S11 0	24	S109 and (output\$3 result\$3 ) near5 (wap web phon\$3 telephon\$3 speech\$3 voic\$3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:40
S11 1	3056	S108 and (output\$3 result\$3 ) near5 (wap web phon\$3 telephon\$3 speech\$3 voic\$3 different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:40
S11 2	191	S111 and (sentenc\$4 near5 (apply\$4 generat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:41
S11 3	1434	S111 and (different\$4 specific\$3 certain\$3 interfac\$3) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:42
S11 4	1434	S111 and (different\$4 specific\$3 certain\$3 interfac\$3) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:42
S11 5	112	S112 and (different\$4 specific\$3 certain\$3 interfac\$3) near5 (output\$4 result\$4 outcom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:43
S11 6	203615	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (input receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22
S11 7	7765	S116 and (text\$3 document\$3) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S11 8	211948	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (input\$3 receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 13:56

S11 9	66	S117 and (generat\$4 near5 sentenc\$4 near5 (output\$4 result\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22
S12 0	20806	(voice\$2 phon\$4 telephon\$3 speech\$3) near5 (internet\$3 network\$3) near5 (receiv\$3 obtain\$4 get\$3 input\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:19
S12 1	1461	S120 and (text\$3 document\$3) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:21
S12 2	1	S121 and (generat\$4 near5 sentenc\$4 near5 (output\$4 result\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S12 3	133743	( phon\$4 telephon\$3 ) near5 (input receiv\$4 obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22
S12 4	203615	S116 or S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S12 5	6466	S124 and (text\$3 ) near5 (transform\$3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:24
S12 6	6	S125 and ( sentenc\$4 near5 (output\$4 result\$4) near5 (email fax PC web phon\$3 ttf web html))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:33

S12 7	1239	(phon\$3 telephon\$3 ) near9 (network\$4 internet\$3) near5 text\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:32
S12 8	116	(phon\$3 telephon\$3 ) near9 (network\$4 internet\$3) near5 text\$4 near9 (conver\$4 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:32
S12 9	0	S128 and ( sentenc\$4 near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:34
S13 0	0	S128 and ( gramma\$4 near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:10
S13 1	1013	(telephon\$4 phon\$4) near5 (conver\$4 transform\$3) near5 text\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:08
S13 2	1	S131 and (( gramma\$4 sentenc\$3) near5 (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:12
S13 3	284	S131 and ( (output\$4 result\$4) near5 (email fax PC wab phon\$3 ttf web html interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:12
S13 4	120	S133 and (sentenc\$3 gramma\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:13